



Двуслойни гофрирани канализационни тръби от PEHD/PPHM
за безнапорен дренаж и канализация, произведени в съответствие с EN 13476-3 тип B.



*Double-wall pipes made of PEHD/PPHM,
with black outside surface and green/orange inside surface, for non-pressure drainage and
sewage, fulfilling the requirements of standard EN 13476-3.*



PEHD double-wall pipes for non-pressure sewage Standard DN/OD EN13476-3



outside diameter		SN 4	SN 8	outside diameter	pcs./pallet
DN ID		DN ID	DN ID		
			107	125 *	95
			136	160	60
200	176		176	200	35
250	213		213	250	24
315	273		273	315	12
400	343		343	400	8
500	427		427	500	брой
630	532		532	630	брой
800	637		637	800	брой
1000	851		851	1000	брой
1200	1030		1030	1200	брой

Pipes in 6 m.lenght
with integrated socket and O-ring

* only with separate socket

PEHD double-wall pipes for non-pressure sewage Standard DN/ID EN13476-3


outside diameter		SN 4	SN 8	outside diameter	pcs./pallet
DN ID		DN ID	DN ID		
300	361		361	300	10
400	482		482	400	5
500	602		602	500	4
600	722		722	600	

Pipes in 6 m.lenght
with integrated socket and O-ring

Fittings and special components based on ID range on demand

Sleeve

outside diameter	inside diameter
160	
200	
250	
315	300
400	400
500	500
630	600
800	
1000	
1200	




O-ring

outside diameter	inside diameter
160	
200	
250	
315	300
400	400
500	500
630	600
800	
1000	
1200	

Special fittings




INJECTION FITTINGS WITH INTEGRATED SOCKET IN DN(OD)




ELBOW 45°

	outside diameter
2501.0.160	160
2501.0.200	200
2501.0.250	250
2501.0.315	315
2501.0.400	400
2501.0.500	500
2501.0.630	630




ELBOW 87°30'

	outside diameter
2502.0.160	160
2502.0.200	200
2502.0.250	250
2502.0.315	315
2502.0.400	400
2502.0.500	500
2502.0.630	630




BRANCH 45°

	outside diameter
2503.0.160	160
2503.0.200	200
2503.0.250	250
2503.0.315	315
2503.0.400	400



TEE

	outside diameter
2504.0.200	200
2504.0.250	250
2504.0.315	315
2504.0.400	400



CONCENTRIC REDUCER

	outside diameter
2507.0.200315	200 x 315
2507.0.250315	250 x 315
2507.0.250400	250 x 400
2507.0.315400	315 x 400

ЗА РЕВИЗИОННИ ШАХТИ ИЛИ ФИТИНГИ ПО ЗАПИТВАНЕ НА КЛИЕНТА-ЦЕНИ ПО ЗАПИТВАНЕ



PP double wall corrugated pipes
Standard **DN/OD EN13476-3**

outside diameter	SN 16 kN/m2	
	DN ID	pcs./pallet
200	176	35
250	213	24
315	273	12
400	343	8
500	427	5
630	532	pcs.
800	673	pcs.
1000	851	pcs.

Pipes in 6 m.lenght
with integrated socket and O-ring

PP double wall corrugated pipes
Standard **DN/ID EN13476-3**

outside diameter	SN 16 kN/m2 **	
	DN ID	pcs./pallet
357	300	10
476	400	5
596	500	4
715	600	pcs.


Pipes in 6 m.lenght
with integrated socket and O-ring

Fittings and special components based on ID range on demand

**possible with separate or integrated socket

** Available on order request


Sleeve



- 200
- 250
- 315
- 400
- 500
- 630
- 800
- 1000



O-ring




- 200
- 250
- 315
- 400
- 500
- 500*
- 630
- 630*
- 800
- 1000

* Special for integrated socket


Special fittings

INJECTION FITTINGS IN DN(OD)




ELBOW 45°

COD.	∅ outside diameter
2501P.0.200-P	200
2501P.0.250-P	250
2501P.0.315-P	315
2501P.0.400-P	400
2501P.0.500-P	500
2501P.0.630-P	630




ELBOW 90°

COD.	∅ outside diameter
2502P.0.200-P	200
2502P.0.250-P	250
2502P.0.315-P	315
2502P.0.400-P	400
2502P.0.500-P	500
2502P.0.630-P	630



BRANCH 45°

COD.	∅ outside diameter
2503P.0.200-P	200
2503P.0.250-P	250
2503P.0.315-P	315
2503P.0.400-P	400
2503P.0.500-P	500



TEE

COD.	∅ outside diameter
2504P.0.200-P	200
2504P.0.250-P	250
2504P.0.315-P	315
2504P.0.400-P	400
2504P.0.500-P	500
2504P.0.630-P	630

FOR INSPECTION CHAMBERS OR CUSTOM MADE FITTINGS-prices available on specific request